

8. References

- Anma, S. (1988). Deforestation by Slush Avalanches and Vegetation Recovery on the Eastern Slope of Mt. Fuji. *International Symposium INTERPRAEVENT-GRAZ*, 133-156.
- Armanini, A., & Michiue, M. (1997). *Recent developments on debris flows* (Vol. 64). Springer.
- Bartelt, P., Bühler, Y., Buser, O., Christen, M., & Meier, L. (2012). Modeling mass - dependent flow regime transitions to predict the stopping and depositional behavior of snow avalanches. *Journal of Geophysical Research: Earth Surface*, 117(F1).
- Bühler, Y., Christen, M., Kowalski, J., & Bartelt, P. (2011). Sensitivity of snow avalanche simulations to digital elevation model quality and resolution. *Annals of glaciology*, 52(58), 72-80.
- Byggteknisk forskrift (TEK 17). (2017). *Forskrift om tekniske krav til byggverk (Byggteknisk forskrift)*. Lovdata. [online] Available at: https://lovdata.no/dokument/SF/forskrift/2017-06-19-840/KAPITTEL_7#KAPITTEL_7. [Accessed 14.5.2024].
- Christen, M., Bartelt, P., & Kowalski, J. (2010). Back calculation of the In den Arelen avalanche with RAMMS: interpretation of model results. *Annals of Glaciology*, 51(54), 161-168.
- Christen, M., Bühler, Y., Bartelt, P., Leine, R., Glover, J., Schweizer, A., Graf, C., McArdell, B. W., Gerber, W., & Deubelbeiss, Y. (2012). Integral hazard management using a unified software environment. 12th Congress Interpraevent,
- Christen, M., Kowalski, J., & Bartelt, P. (2010). RAMMS: Numerical simulation of dense snow avalanches in three-dimensional terrain. *Cold Regions Science and Technology*, 63(1-2), 1-14.
- Devoli, G., Jarsve, K., Mongstad, H., Sandboe, K., & Jensen, O. (2020). *Kontroll av registrerte skredhendelser og tildeling av kvalitetsnivå for utglidning, jordskred, flomskred og sørpeskred* (NVE rapport, Issue.
- Domaas, U. & Lied, K. (1979). Snøskred ulykker og skader i Norge vinteren 1978/79. En oversikt over årsaker og virkninger. Oslo, Norges Geologiske Institutt. (NGI Rapport 58302-23).
- Elder, K., & Kattelmann, R. (1993). A low - angle slushflow in the Kirgiz Range, Kirgizstan. *Permafrost and Periglacial Processes*, 4(4), 301-310.
- Fierz, C., Armstrong, R. L., Durand, Y., Etchevers, P., Greene, E., McClung, D. M., Nishimura, K., Satyawali, P. K., & Sokratov, S. A. (2009). The international classification for seasonal snow on the ground.

- Geodata AS. (2024). Kartverket, Geovekst og kommunene: Snødyde, Open Street Map. [online] Available at: <https://www.xgeo.no/>. [Accessed 14.5.2024].
- Graf, C., Christen, M., McArdell, B. W., & Bartelt, P. (2019). Overview of a decade of applied debris-flow runout modeling in Switzerland, An: challenges and recommendations. *Association of Environmental and Engineering Geologists; special publication 28*.
- Gude, M., & Scherer, D. (1998). Snowmelt and slushflows: hydrological and hazard implications. *Annals of glaciology*, 26, 381-384.
- Hanssen-Bauer, I., Drange, H., Førland, E., Roald, L., Børshheim, K., Hisdal, H., Lawrence, D., Nesje, A., Sandven, S., & Sorteberg, A. (2009). Climate in Norway 2100. *Background information to NOU Climate adaptation (In Norwegian: Klima i Norge 2100. Bakgrunnsmateriale til NOU Klimatilpassing)*, Oslo: Norsk klimasenter.
- Hestnes, E. (1985). A contribution to the prediction of slush avalanches. *Annals of glaciology*, 6, 1-4.
- Hestnes, E. (1996). Slushflow hazard—where, why and when? 25 years of experience with slushflow consulting and research. , 26, 370-376.
- Hestnes, E., & Bakkehoi, S. (1995). Prediction of slushflow hazard. Objectives and procedures of an ongoing research project in Rana, North Norway. *Les apports de la recherche scientifique à la sécurité neige glace et avalanche*,
- Hestnes, E., Bakkehøi, S., & Jaedicke, C. (2017). GLOBAL WARMING REDUCES THE CONSEQUENCES OF SLUSHFLOWS. *Физика, химия и механика снега*,
- Hestnes, E., Bakkehøi, S., & Kristensen, K. (2012). Slushflows-A challenging problem to authorities and experts. *Data of Glaciological Studies, Moscow. Publication(1)*, 74-87.
- Hestnes, E., Bakkehøi, S., Sandersen, F., & Andresen, L. (1994). *Weather and snowpack conditions essential to slushflow release and downslope propagation*. Norges Geotekniske Institutt.
- Hestnes, E., & Jaedicke, C. (2018). Global warming reduces the consequences of snow-related hazards.
- Hestnes, E., & Lied, K. (1980). Natural-hazard maps for land-use planning in Norway. *Journal of Glaciology*, 26(94), 331-343.
- Hestnes, E., & Sandersen, F. (1987). Slushflow activity in the Rana district, North Norway. *Proceedings of the Davos Symposium, IAHS Publication*,
- Hungr, O., Leroueil, S., & Picarelli, L. (2014). The Varnes classification of landslide types, an update. *Landslides*, 11, 167-194.
- Imaizumi, F., Sidle, R. C., Tsuchiya, S., & Ohsaka, O. (2006). Hydrogeomorphic processes in a steep debris flow initiation zone. *Geophysical Research Letters*, 33(10).

- Jaedicke, C., Kalsnes, B., & Solheim, A. (2022). Sørpeskred. Egenskaper, historikk og sikringsløsninger.
- Jaedicke, C., Kern, M., Gauer, P., Baillifard, M.-A., & Platzer, K. (2008). Chute experiments on slushflow dynamics. *Cold Regions Science and Technology*, 51(2-3), 156-167.
- Jaedicke, C., & Sandersen, F. (2021). FOU 80606-Identifisering av løsneområder for sørpeskred.
- Jonsson, A., & Gauer, P. (2014). Optimizing mitigation measures against slush flows by means of numerical modelling—a case study Longyearbyen, Svalbard. *Proceedings of INTERPRAEVENT-2014 in the Pacific Rim—Natural Disaster Mitigation to Establish Society with the Resilience*, 25-28.
- Kartverket. (2024). Hoydedata. [online] Available at: <https://hoydedata.no/LaserInnsyn2/> [Accessed 15.01.2024].
- Kobayashi, S., Izumi, K., & Kamiishi, I. (1994). Slushflow disasters in Japan and its characteristics. International Snow Science Workshop,
- Kronholm, K. (2021). *Bruk av RAMMS:: DEBRISFLOW på kjente sørpeskredhendelser* (8241021313).
- Majid, G., & MOTAMEDI, A. (2024). Evaluation of Errors and Uncertainties in Debris Flow Modeling with RAMMS.
- Meyrat, G., Mc Ardell, B., Ivanova, K., Müller, C., & Bartelt, P. (2022). A dilatant, two-layer debris flow model validated by flow density measurements at the Swiss illgraben test site. *Landslides*, 19(2), 265-276.
- Nobles, L. H. (1966). *Slush avalanches in northern Greenland and the classification of rapid mass movements*. na.
- Norges geologiske undersøkelse (NGU). (2024). Løsmasser – Nasjonal løsmassedatabase. https://geo.ngu.no/kart/losmasse_mobil/. [Accessed 14.05.2024].
- Norges Vassdrag- og Energidirektorat (NVE). (2023). Skredregistrering. [Online] Available at: <https://www.skredregistrering.no/#Forsiden> [Accessed: 10.7.2023].
- Nyberg, R. (1985). *Debris flows and slush avalanches in northern Swedish Lapland: distribution and geomorphological significance*
- Onesti, L. (1987). Slushflow release mechanism: A first approximation. *IAHS Publ*, 162, 331-336.
- Onesti, L. J., & Hestnes, E. (1989). Slush-flow questionnaire. *Annals of glaciology*, 13, 226-230.
- Pérez-Guillén, C., Tsunematsu, K., Nishimura, K., & Issler, D. (2019). Seismic location and tracking of snow avalanches and slush flows on Mt. Fuji, Japan. *Earth Surface Dynamics*, 7(4), 989-1007.

- Rapin, F. (2002) A new scale for avalanche intensity. International Snow Science Workshop.
- Rapp, A. (1960). Recent development of mountain slopes in Kärkevagge and surroundings, northern Scandinavia. *Geografiska Annaler*, 42(2-3), 65-200.
- Relf, G., Kendra, J. M., Schwartz, R. M., Leathers, D. J., & Levia, D. F. (2015). Slushflows: science and planning considerations for an expanding hazard. *Natural Hazards*, 78, 333-354.
- Salm, B. (1993). Flow, flow transition and runout distances of flowing avalanches. *Annals of glaciology*, 18, 221-226.
- Sampl, P., & Zwinger, T. (2004). Avalanche simulation with SAMOS. *Annals of Glaciology*, 38, 393-398.
- Scherer, D., Gude, M., Gempeler, M., & Parlow, E. (1998). Atmospheric and hydrological boundary conditions for slushflow initiation due to snowmelt. *Annals of Glaciology*, 26, 377-380.
- Shieh, C.-L., Jan, C.-D., & Tsai, Y.-F. (1996). A numerical simulation of debris flow and its application. *Natural Hazards*, 13, 39-54.
- Simoni, A., Mammoliti, M., & Graf, C. (2012). Performance Of 2D debris flow simulation model RAMMS. annual international conference on geological and earth sciences GEOS,
- Stimberis, J., & Rubin, C. M. (2011). Glide avalanche response to an extreme rain-on-snow event, Snoqualmie Pass, Washington, USA. *Journal of Glaciology*, 57(203), 468-474.
- Sund, M., Grønsten, H. A., & Seljesæter, S. Å. (2023). Operational regional slushflow early warning. *Natural Hazards and Earth System Sciences Discussions*, 2023, 1-31.
- Sund, M., Grønsten, H. A., & Skuset, S. (2020). Varsling av regional sørpeskredfare. *NVE Rapport*.
- Vegvesen, S. (2014). Flom og Sørpeskred. *Håndbok v139, Statens vegvesen håndbokserie*.
- Washburn, A., & Goldthwait, R. (1958). Slushflows. *Geological Society of America Bulletin*, 69, 1657-1658.
- Zhang, Y. (2019). Numerical simulation of debris flow runout using Ramms: a case study of Luzhuang Gully in China. *Computer Modeling in Engineering & Sciences*, 121(3), 981-1009.